

Please type a plus sign (+) inside this box → ☒

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 16321-709 Total Pages 85

First Named Inventor or Application Identifier

Mohamed S. Danish; Title: *Method And System For Executing A Guided Parametric Search*

Express Mail Label No. EL324593831US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 46]
(preferred arrangement set forth below)
- Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R&D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (37 CFR 1.152) [Total Sheets 30]
4. ☒ Oath or Declaration [Total Pages 3]
- a. ☐ Newly executed (original or copy)
 - b. ☒ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☒ Incorporation By Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identify of above copies
8. ☐ Assignment Papers (cover sheet & documents(s))
9. ☒ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)PTO-1449 ☐ Copies of IDS Citations
12. ☒ Preliminary Amendment (4 pages)
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity Statement filed in prior application, ☐ Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Other:

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:

☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. 08/ 943,573
which is a
☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior Patent No. 5,715,444

16. CORRESPONDING ADDRESS

<input type="checkbox"/> Customer Number of Bar Code Label		 (Insert Customer No. or Attach bar code label here) 21971		or <input checked="" type="checkbox"/> Correspondence address below	
NAME		Kent R. Richardson			
		PATENT TRADEMARK OFFICE			
		Registration No.: 39,443			
ADDRESS		WILSON SONSINI GOODRICH & ROSATI			
		650 Page Mill Road			
CITY	Palo Alto	STATE	California	ZIP CODE	94304-1050
COUNTRY	USA	TELEPHONE	(650) 493-9300	FAX	(650) 845-5000

SUBMITTED BY

Typed or

Printed Name Kent R. Richardson

Reg. Number 39,443

Signature

Date 8/26/99

EXPRESS MAIL LABEL NO.: EL324593831US

PATENT
Attorney Docket No.: 16321-709

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Mohamed S. Danish, Kris W. Kimbrough) Group Art Unit: Unknown
Application No.: Not Yet Assigned) Examiner: Unknown
(Continuation of USSN: 08/943,573))
Filed: Herewith)
For: Method And System For Executing)
A Guided Parametric Search)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination of the above-identified patent application on the merits, please amend the application as follows:

IN THE SPECIFICATION:

In the specification, page 1, prior to the heading "BACKGROUND", please insert the following:

--RELATIONSHIP TO COPENDING APPLICATIONS

This application is a Continuation of Application Serial No. 08/943,573, filed October 3, 1997, entitled "Method And System For Executing A Guided Parametric Search", which is a Continuation of Patent No. 5,715,444, issued February 3, 1998, entitled "Method And System For Executing A Guided Parametric Search", both of which are incorporated herein by reference in their entirety.--

Page 1, line 3: After the heading "RELATIONSHIP TO COPENDING APPLICATIONS" and before the heading "BACKGROUND", insert the following:

--FIELD OF THE INVENTION

The present invention relates to navigation systems and more particularly to a process for identifying an item within a family of items.--

Page 9, line 35: delete the words "USER MENUS".

Page 9, line 36: delete the words "MAIN MENU".

Page 10, line 10: delete the words "ALPHABETICAL SEARCH".

Page 10, line 29: delete the words "PICTURE SEARCH".

Page 11, line 28: delete the words "VIEW CATALOG".

Page 12, line 13: delete the words "GET PART NUMBER INFORMATION".

Page 12, line 27: delete the words "FEATURE SCREEN USER OPERATIONS".

Page 13, line 3: delete the words "FEATURE SCREEN MANIPULATION".

Page 14, line 37: delete the words "FEATURE SCREEN SEARCH".

Page 15, line 17: delete the words "FEATURE SCREEN REVISION".

Page 16, line 16: delete the words "SELECTION CRITERIA MODIFICATION".

Page 17, line 10: delete the words "AUTOMATIC PRIORITIZED DESELECTION".

Page 17, line 35: delete the words "USER DESELECTION".

Page 18, line 19: delete the words "TRIGGER ALTERNATIVE AND DEPENDANT GROUPING".

Page 19, line 4: delete the words "HIDDEN GROUPING".

Page 19, line 15: delete the words "PROPERTY SCREEN".

Page 20, line 3: delete the word "DATAFILES".

Page 20, line 11: delete the words "DATABASE ORGANIZATION DATAFILE".

Page 21, line 12: delete the words "PART NUMBER FEATURES DATAFILE".

Page 22, line 29: delete the words "FEATURE SCREEN GROUP DATAFILE".

Page 23, line 17: delete the words "FEATURE SCREEN DESCRIPTION DATAFILE".

Page 23, line 36: delete the words "FEATURE NAME DATAFILE".

Application No.: Not Yet Assigned

Page 3

Page 24, line 6: delete the words "FEATURE VALUE DATAFILE".

Page 24, line 16: delete the words "FEATURE SCREEN IMAGE DATAFILE".

Page 24, line 31: delete the words "PART NUMBER PROPERTIES DATAFILE".

Page 25, line 19: delete the words "EXTRA PROPERTIES DATAFILE".

Page 25, line 31: delete the words "SCREEN TITLE DATAFILE".

Page 26, line 4: delete the words "SYSTEM SOFTWARE FLOW".

Page 27, line 16: delete the words "FEATURE SCREEN CREATION".

Page 30, line 17: delete the words "FEATURE SCREEN MANIPULATION".

Page 31, line 32: delete the words "SEARCH OPERATION".

Page 35, line 16: delete the words "FEATURE SCREEN REVISION".

Page 36, line 22: delete the words "INTERNET EMBODIMENT".

Page 36, line 23: delete the words "INTERNET EMBODIMENT USER FLOW".

Page 37, line 21: delete the words "INTERNET EMBODIMENT PROGRAM FLOW."

IN THE CLAIMS:

Please cancel claims 2-30 without prejudice or disclaimer. Originally filed claim 1 remains pending in the application.

Application No.: Not Yet Assigned
Page 4

REMARKS

Entry of the above-identified Preliminary Amendment prior to examination on the merits is respectfully requested.

The Commissioner is authorized to charge any additional fees which may be required, including petition fees and extension of time fees, or credit any overpayment to Deposit Account No. 23-2415 (Docket No. 16321-709).

Respectfully submitted,

WILSON SONSINI GOODRICH & ROSATI

Date: 8/26/99

By: 

Kent R. Richardson

Registration No. 39,443

WILSON SONSINI GOODRICH & ROSATI
650 Page Mill Road
Palo Alto, California 94304
(650) 493-9300

METHOD AND SYSTEM FOR EXECUTING A GUIDED PARAMETRIC SEARCH

BACKGROUND

5 Increased memory and remote electronic data storage capacity offers access to large amounts of data in a very convenient form and physical size. Data may be available on diskette, CD-ROM, magnetic tape, and on line to a centrally located computer and memory storage
10 medium. The challenge remains to extract information from the data simply and efficiently and to have confidence in the result that all relevant items have been uncovered. The widespread use of computers and electronic searching has attracted the attention of
15 large manufacturers offering a vast array of products in an increasingly competitive environment. In an effort to offer product that closely matches customer needs, manufacturers proliferate product and product feature alternatives. This proliferation of product offerings
20 provides the customer with more options from which to choose, however, it also increases the difficulty of finding the one product offering that best addresses a specific customer's needs. Manufacturer's response has been to offer a series of specialized glossy catalogs and trained sales personnel to aid customers in their
25 product selection effort. To a manufacturer, these catalogs are costly to create, distribute, and update. To a consumer, these catalogs are cumbersome to use and store. In order to further breakdown obstacles between
30 a customer's need to obtain a product and purchase of the right product, a manufacturer may offer what is typically a large catalog or series of catalogs of product offerings, electronically. An electronic catalog offers the convenience of compact physical size
35 coupled with automated search and retrieval.

One known search method of automated search and retrieval employs Boolean logic and keyword searching. The Boolean logic keyword search is appropriate for locating concepts discussed in textbased references.

5 The Boolean search is based on certain words or word
relationships contained in a relevant collection of
materials. Formulating an accurate and efficient
Boolean search requires a certain level of knowledge
10 about the structure of the data, the type of material
being searched, the classification of the data if there
is one, and any keywords or standard terminology likely
to be used to express the concepts being searched. The
Boolean logic keyword search is beneficial because it
15 permits a user to formulate a search that accurately
reflects certain priorities for the search. The Boolean
logic keyword search, however, is inappropriate for
locating a particular mix of feature alternatives within
a database of product information. One searching for
20 certain information may not be familiar with the
terminology used in selecting a particular product.
Multiple products may use different but synonymous
terms. A concept expressed by a standard industry term
in one industry may be different from a standard
industry term in a different industry. A keyword
search would require searching on all synonyms used in
order to ensure a complete and accurate result.

Other interactive user interfaces use a hierarchial
search. Hierarchial searches may also be referred to as
25 tree searches and are a form of guided search. A
variation of the hierarchical search is disclosed in
U.S. patent 4,821,211 to Torres. A hierarchial search
method offers a list of alternatives from which to
select. The first list of alternatives has the highest
30 priority and defines the profile of or relates to the
remaining alternatives. Once selected, the system
branches to another screen or lower level screen with
another list of alternatives. The next list of
alternatives having a lower priority. The system
35 branches down through the various menus of alternatives
having decreasing priority levels. There are known
various methods of presenting graphical representations

of a hierarchy to a user to help a user understand the current position within the hierarchy and the options for further movement within the hierarchy. A hierarchial search is appropriate for narrowing down to a subset of items from which to select based on alternatives having a fixed or necessarily depending priority level. Using this method, the available alternatives shown on any screen depend upon prior alternative selections. The hierarchial search is beneficial in that it is guided. A guided search meaning that use of the search does not require knowledge of the terminology used within the database due to the fact that terms for the available concepts are offered to a user. A user then makes a selection before proceeding to the next level. The hierarchial search, however, is cumbersome unless the selection of one alternative obviates the availability of other alternatives. Unless a user knows exactly what he or she wants and with what priority, each "branch" in the tree must be explored in order to gather an understanding of how certain selections affect remaining alternatives. In the case of a list of product offerings, given a set of alternative features for a single product, a number of people will have differing priorities for those alternatives and the priorities will have varying weights. Another disadvantage of the hierarchial search is that the greater the number of alternatives and permutations of alternative selections, the more levels there are from which to select additional alternatives. Multiple levels of screens increase the time and complexity of the search and are not as user-friendly or as intuitive to use as a simpler single screen user interface. The need for a nonhierarchial guided parametric search is based on the principle that given a family of items having certain features associated therewith each feature having respective alternatives, the number of products actually

offered by a manufacturer is less than the number of possible permutations of alternatives. For the purposes of a simple illustration, a family of items may be cars in which features include color, number of doors, transmission style, braking style, etc. If a feature of a car is color, respective alternatives may be red, white, and blue. If a feature is transmission styles, respective alternatives may be automatic, three speed, four speed, and five speed. The vast number of permutations coupled with the fact that only a subset of the permutations are actually offered for sale as products is a source of frustration to a customer with a given set of needs. For instance red cars may come only with manual transmission and not automatic transmission. As features and alternatives proliferate, so does the level of frustration in isolating the one desired item. Accordingly, there is a need for a method to aid a user in identifying an item among a family of items based on selections of alternatives among features associated with the items.

Different customers have different preferences, and in many cases a customer is somewhat flexible concerning the product to buy as long as the customer is informed as to how the selection of one alternative affects the availability of another alternative. In addition, one customer may want a red car and accept manual transmission, while another customer must have automatic transmission and color is unimportant. Accordingly, there is a need for a search method that provides information interactively as to how certain alternative selections affect the number of remaining alternatives and/or matching items and allows a user to modify selection priorities during the course of the search.

There remains a need, therefore, for an automated search and retrieval system that can assist a user in finding a product having appropriate features to address identified needs and priorities of needs.

Associated with some known electronic search and retrieval systems is a certain amount of frustration when the defined search does not identify a single item. The user is obliged to further widen the field of search or modify a search criteria in order to identify any parts. The need to oblige the user to widen the field of search is due to the fact that hierarchial and keyword Boolean searches do not have any information in the search criteria to permit automatic adjustment of the field of search. There is a need therefore, for a electronic search method that is able to guarantee a user that at least one item will be identified.

SUMMARY OF THE INVENTION

It is therefore an object of the invention to provide a guided parametric search to isolate a subfamily of items within a family of items based on alternatives associated with each item.

It is a further object of the invention to organize the alternatives into groupings visually relating a feature and respective alternatives.

It is a further object of the invention to provide an automated search that interactively indicates how selected alternatives affects availability of remaining alternatives.

It is a further object of the present invention to provide an automated search method that can guarantee identification of at least one item for each search.

It is a feature of the present invention that a user is assisted in identifying a subfamily of items within a family of items by: providing a computer readable data file of stored information representing at least one family of items, the data file identifying at least one alternative for each item, reading the data file, displaying a feature screen indicating said alternatives represented in the family, accepting selected alternatives, determining the subfamily of

items where each item in the subfamily satisfies the selected alternatives, determining available alternatives represented in the subfamily and unavailable alternatives unrepresented in the subfamily, and revising the feature screen indicating the available alternatives as distinct from the unavailable alternatives.

It is an advantage of the invention that revision of the feature screen provides an indication to the user as to how selected alternatives, or selection criteria, affect the profile of the subfamily satisfying the selection criteria. The revision answers the question; How does the selection of one alternative affect my remaining alternatives?

It is a feature of the invention that the process may be implemented in a server and client configuration for use on the Internet.

It is an advantage of the invention that an Internet configuration may be used as an electronic catalog, providing an electronic alternative to updating and distributing product and/or service information.

Other advantages and results of the invention are apparent from the following detailed description by way of example, from accompanying drawings, and from the spirit and scope of the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a view of a Main Menu screen.

Figure 2 is a view of an Alphabetical Search screen.

Figure 3 is a view of a second level Picture Search screen.

Figure 4 is a view of a View catalog screen.

Figure 5 is a view of a Catalog page screen.

Figure 6 is a view of a View part number information screen.

Figure 7 is a view of a feature screen prior to selections of alternatives having been made by a user.

Figure 8 is a view of a feature screen subsequent to a single selection of an alternative and completion
5 of a search initiated by a user after revision based upon the results of the search.

Figure 9 is a view of a revised feature screen subsequent to a second selection of an alternative from the revised feature screen shown in Figure 8 and
10 completion of a search initiated by a user after revision based upon the results of the search which has identified a single item.

Figure 10 is a view of a Property screen for the item identified in the feature screen in Figure 9.

15 Figure 11 is a graphical representation of the Database Organization Datafile and example data records therein.

Figure 12 is a graphical representation of the Part Number Features Datafile and example data records
20 therein.

Figure 13 is a graphical representation of the feature screen Group Datafile and example data records therein.

Figure 14 is a graphical representation of the
25 feature screen Description Datafile and example data records therein.

Figure 15 is a graphical representation of the Feature Name Datafile and example data records therein.

Figure 16 is a graphical representation of the
30 Feature Value Datafile and example data records therein.

Figure 17 is a graphical representation of the feature screen Image Datafile and example data records therein.

Figure 18 is a graphical representation of the Part
35 Number Properties Datafile and example data records therein.

Figure 19 is a graphical representation of the Extra Properties Datafile and example data records therein.

5 Figure 20 is a graphical representation of the Screen Title Datafile and example data records therein.

Figure 21 is a graphical representation of the program flow of an embodiment of the feature screen creation operation labeling the groupings for a unique feature screen.

10 Figure 22 is a graphical representation of the program flow of an embodiment of the feature screen creation operation labeling the alternatives.

15 Figure 23 is a graphical representation of the program flow of an embodiment of the Search operation initiated from the feature screen.

Figure 24 is a graphical representation of the program flow of an embodiment of the feature screen revision operation.

20 Figure 25 is a representation of a server and client configuration and the flow of data therebetween.

Figure 26 is a feature screen used in a preferred embodiment of the invention in an Internet environment.

25 Figure 27 is a feature screen revised from the feature screen of Figure 26 and having "Non-Insulation Support" and "None" for the "Specials" feature as selected alternatives and is updated with available alternatives underlined and unavailable alternatives not underlined.

30 Figure 28 is a further revision of the feature screen of Figure 27 narrowing down the subfamily to thirteen items.

Figure 29 is a further revision of the feature screen of Figure 28 narrowing down the subfamily to one item.

35 Figure 30 is a property screen used in a preferred embodiment of the invention in the Internet environment.

Figure 31 is a main menu used in a preferred embodiment of the invention in the Internet environment.

Figure 32 is an alphabetical search menu used in a preferred embodiment of the invention in the Internet environment.

Figure 33 and 34 is a first and second level picture search menu respectively used in a preferred embodiment of the invention in the Internet environment.

Figure 35 is a view part number menu used in a preferred embodiment of the invention in the Internet environment.

DETAILED DESCRIPTION

A nonhierarchial guided parametric search is executed on a computer and permits a user to select a family of items 1 from among a plurality of families of electrical connectors, via a Main Menu 40. A family of items 1 could be any commercial product or service offering with a common set of features 5 and alternatives 6, associated therewith. Preferably, the alternatives 6 are item qualifiers and related to customer purchase options and criteria. In a preferred embodiment, an example of a family of items 1 is FASTON Receptacles - Uninsulated. FASTON is a trademark of AMP Incorporated. Alternative embodiments may include a family 1 of service providers having features 5 and alternatives 6 relating to provider qualifications. It is apparent, therefore, that "family" as used herein is broadly defined as a collection of offerings with specific qualifiers and/or attributes, where one would want to identify an offering by specifying its qualifiers and/or attributes. The preferred embodiment, however, is adapted to a family of physical items, specifically electrical connectors.

USER MENUS
MAIN MENU

An example of the Main Menu 40 is shown in Figure 1. The Main Menu 40 offers an interactive pick for an Alphabetical Search 41, a Picture Search 42, a View Catalog 43, or a Get Part Number Information 44 as methods for identifying a single family of items 1. The About pick 49 provides administrative information about the vendor such as telephone number, address, and facsimile phone number. The Exit pick 50 exits to the computer operating system.

10 ALPHABETICAL SEARCH

An example of an Alphabetical Search menu is shown in Figure 2. The Alphabetical Search pick 41 provides to the user a list box 15 comprising alphabetical listbox entries 16 of industry standard terms and proprietary terms for product families 1 that are available on a data file to be searched. Each listbox entry 16 in the Alphabetical Search menu represents either a subfamily 2, a family of items 1 or a cluster of families 4. The user selects an alphabetical entry 16 and OK pick 51. If the selected listbox entry 16 represents a cluster of families 4, the system branches to a picture search 42 described herein below. The user further delineates the family of items 1 that is of interest by further selection within the cluster 4 using a hierarchical selection method. If the alphabetical entry 16 requires no further delineation, the system branches to a feature screen 9. The cancel pick 52 returns the user to the Main menu 40.

PICTURE SEARCH

30 The user enters a Picture Search Menu via either the picture search pick 42 from the Main Menu 40 or by selecting an alphabetical entry 16 from the Alphabetical Search Menu 41 that requires further delineation before identifying a single family of items 1. A picture
35 search provides to the user a display of a series of pictures 17, each picture 17 representing either a family cluster 4 or a family of items 1 that are

available to be searched. A series of picture 17 appears on one or more display pages. A page marker 58 indicates the current page and the total number of pages in the display. Prior screen pushbutton 201 returns the user to the prior screen. Home pushbutton 202 returns the user to the Main Menu 40. Help pushbutton 203 provides help text for the picture screen. The user, via a mouse or other pointing device, moves an interactive pointer 39 from picture to picture 17. As the pointer 39 passes over each picture 17, a picture subtitle 48a, indicating the name of the family 1 or cluster of families 4 represented by the picture 17, changes accordingly. The user selects a family 1 or cluster of families 4, by clicking the mouse as the pointer 39 is positioned over the desired representative picture 17. If the selected picture represents a family cluster 4, the system branches to a lower level picture search. An example of a second level picture search menu is shown in Figure 3. In the lower level picture search, the system provides to the user a display of a series of pictures that further delineates the families 1 available within the selected family cluster 4. The user again selects one of the pictures presented and continues in this hierarchial fashion until isolating a selection that represents a single family of items 1. If the selected picture represents a single family 1, the system branches directly to the feature screen 9.

VIEW CATALOG

The View Catalog pick 43 provides the user with one of three types of free field entry. The user selects a radio button 23 to identify the nature of a free field entry 21. In a preferred embodiment, the user may select to enter by a part number 18, by a code associated with a part number that is identified by AMP Incorporated as a FaxCode 19, or a catalog number 20. The user enters an identifying number in the free field entry 21. Upon entry, the system electronically

displays a catalog page for the identified item. An example of a catalog page is in Figure 5. Once an item is selected, the system permits the user to branch to a display of tools and other items related to the identified item 3 by selecting the view option 53. A user may choose the zoom option 54 to display the catalog page in a size that is one hundred percent of the original size of the actual paper based catalog page. Zoom is purely a scaling function of the existing screen display. A user may choose the page option 55 to page through electronic displays of catalog pages as one might page through a paper based catalog system.

GET PART NUMBER INFORMATION

The Get Part Number Information pick 44 provides the user with a part number entry 22. The user enters a part number indicative of a single item 3. The user selects the radiobutton 23 to choose either a feature screen display or a Detailed Information Screen display for the item entered. If the part number is an item within the data file, the system retrieves the item 3 and identifies the family 1 associated with the part number and branches to the selected screen.

The process up to this point identifies a family 1 of items using conventional hierarchical techniques. Other methods of identifying a family 1 are equally appropriate.

FEATURE SCREEN USER OPERATIONS

Upon identification of a family 1 to search, the system provides to the user the feature screen 9. Identification of a subfamily or item is processed from the same feature screen 9. The minimum computing system required to run the process disclosed hereinafter has an Intel 80386 microprocessor or compatible upgrade with 4MBytes of RAM memory, MS DOS revision 6.0 or compatible upgrade, Microsoft Windows revision 3.1 or compatible upgrade, a mouse or other pointing device, a hard disk

with 2MBytes of free disk space, and a Windows compatible CD-ROM drive.

FEATURE SCREEN MANIPULATION

5 The feature screen 9, as shown in Figures 7 through
9, provides a display of a series of groupings 13
associated with the selected family 1. Each grouping 13
comprises one of the features 5 and a plurality of
respective alternatives 6, each feature 5 and respective
alternatives being represented within the family 1.
10 Each feature 5 generally describes a category of subject
of the respective alternatives 6. The grouping 13
visually relates the feature 5 to its respective
alternatives 6 by the proximity of feature 5 to
respective alternatives and by a frame 24 enclosing
15 them. Each grouping 13 contains either a plurality of
the radiobuttons 23 or one listbox 15. Each
alternative 6 has associated therewith, a user selector.
The user selector may be in the form of a radiobutton 23
that is white to denote nonselection ("off") and
20 partially filled in black to denote selection ("on"). A
user selector may also be in the form of a listbox entry
16 that is in a standard font to denote nonselection
("off") and is in a reverse font to denote selection
("on"). The alternatives 6 may be selected or
25 deselected via the radiobuttons 23 or listbox entries 16
to create selected alternatives 37. The feature screen
9, therefore, provides a guided search in that it
presents terminology for the features 5 and the
alternatives 6 to the user prior to a search. A screen
30 title 48 appears centered at the top of the display and
the representative picture 17 appears in the upper right
corner of the display. A matching quantity box 47 and
part number identification box 46 appear at the upper
left corner of the display.
35 Positioning the interactive pointer 39 and clicking
the mouse once, toggles a radiobutton 23 or listbox
entry 16 to select ("on") or deselect ("off") an

alternative 6. While in the feature screen 9, the user may select and deselect turning radiobuttons 23 and listbox entries 16 "on" and "off" as desired. In response to a user initiated signal to perform a search, the system retrieves information concerning which user selectors 16, 23 are turned "on" and to which alternatives 6 the user selectors 16, 23 that are turned "on" relate. The alternatives 6 turned "on" are the selected alternatives 37 and constitute the selection criteria 14 used in the search to generate a subfamily 2. In a preferred embodiment of the system, a double mouse click on a user selector 23 or 16 that is turned "off" selects the alternative 6 and then performs a search using the selection criteria 14.

A series of pushbuttons 201 through 208 are positioned below the matching quantity box 47 and part number identification box 46. Actuation of any one of the pushbuttons 201 through 208 via a mouse click performs a different system function. The prior screen pushbutton 201 returns the user to the prior screen. The home pushbutton 202 returns the user to the Main Menu 40. Help pushbutton 203 provides the user with help information concerning the current screen. Criteria hold pushbutton 204 "holds" or memorizes the current selection criteria 14 for later use. Criteria apply pushbutton 205 "applies" the selection criteria 14 most recently "held" using the criteria hold pushbutton 204. Advantageously, a selection criteria 14 "held" while working with one family may be "applied" while working with a different family.

Erasure pushbutton 206 resets all currently selected alternatives 37. Detail view pushbutton 207 displays a property screen 12. An example of the property screen 12 is shown in Figure 10. Search pushbutton 208 performs a search according to the selection criteria 14.

FEATURE SCREEN SEARCH

When the user initiates a search via the search pushbutton 208 or a double mouse click, the system gathers the selection criteria 14 from the user selectors 16, 23 that are toggled "on", indicating the selected alternatives 37. Using the selection criteria 14, the system searches the family 1 for items 3 that satisfy the selection criteria 14. A result of the search is a subfamily 2 of items, each item 3 within the subfamily 2 having alternatives 6 that match the selection criteria 14. The system then searches the subfamily 2 to identify those alternatives 6 that remain available for further selection, available alternatives 7, and those alternatives 6 that are available within the family 1, but are mutually exclusive with the selection criteria 14 that generated the subfamily 2, unavailable alternatives 8.

FEATURE SCREEN REVISION

Based on the available alternatives 7, the system revises the feature screen 9. A feature screen revised accordingly is shown in Figure 8. In Figure 8, the feature screen of Figure 7 is revised after selection of alternative 6 "Magnet Wire" in the grouping associated with the feature 5 "Wire Type". Each selected alternative 37 is displayed in a bold font and underlined. Each available alternative 7 within the subfamily 2 is displayed in a bold font and is not underlined. The radiobutton 23 for each selected alternative 37 and each available alternative 7 is enabled, meaning that they may be toggled in order to modify the current selection criteria 14. An exception exists if one of the groupings 13 comprises only one available alternative 7. In that case, the available alternative 7 is a forced alternative 34 and is turned "on", and the associated radiobutton 23 is disabled meaning it may not be deselected. A forced alternative 34 indicates that for the selection criteria 14, all items necessarily have the forced alternative 34, and

that there is no item satisfying the selection criteria 14 without the forced alternative 34. In Figure 8, an example of a "forced" alternative is "None" in the "Specials" grouping 13. This indicates that for all items 3 having "Magnet Wire" as a "Wire Type" there are no other "Specials" alternatives 6 other than "None". Each unavailable alternative 8 within the subfamily 2 is displayed on the feature screen 9 and within the grouping 13, but is displayed in a grey shaded font. A radiobutton 23 associated with each unavailable alternative 8 is disabled. In the case of a grouping 13 that comprises one of the listboxes 15, only available alternatives 7 are listed as listbox entries 16. The feature screen 9 also displays the quantity of items in the subfamily 2 in a matching quantity box 47.

SELECTION CRITERIA MODIFICATION

After the feature screen is revised, the user may choose to modify the selection criteria 14 by selecting one or more available alternatives 7 or deselecting a selected alternative 37. Unavailable alternatives 8 may not be selected to modify the selection criteria 14 as their associated radiobuttons 23 are disabled. Similarly, forced alternatives 34 may not be deselected. This impairs the user's ability to select mutually exclusive alternatives 6.

The user may select one or more available alternatives 7 and then initiate a search by clicking twice or using the search pushbutton 208. The system performs an identical search to the one disclosed hereinabove and revises the feature screen accordingly. By virtue of the fact that selected alternatives 37 are added to the selection criteria 14, the subfamily 2 that satisfies the selection criteria 14 necessarily has fewer items 3. A search and revision of the feature screen 9 after each selected alternative 37 provides to the user an indication of how selection of one alternative affects the availability of remaining

alternatives 6. Presentation of the affect of selected alternatives guides the user in selecting appropriate alternatives 6 according to the user's priorities.

Iterative selections, searches, and revisions

- 5 progressively narrows the subfamily 2 to isolate and identify a manageable number of items according to user priorities. A narrowing of the subfamily 2 from the feature screen 9 shown in Figure 8 is shown in Figure 9 and identifies a single item 3.

10 AUTOMATIC PRIORITIZED DESELECTION

- If the user has turned more than one user selector "on" prior to processing a search, it is conceivable that the selection criteria 14 contains mutually exclusive alternatives and will produce a subfamily 2
- 15 containing zero items 3. In the event of a zero item subfamily 2, an embodiment of the system indicates that no items are identified, and returns the user to the feature screen prior to initiating a search. As a zero item subfamily situation is considered undesirable, when
- 20 there are no items in a subfamily 2, in a preferred embodiment the system will deselect a most recently selected alternative 37 and perform the search with a revised selection criteria 14. The deselection process will iterate, automatically deselecting the most
- 25 recently selected alternative until there is at least one item 3 in the subfamily 2. Sequential deselection will provide a prioritized approach of automatically revising the selection criteria 14 and guaranteeing identification of at least one item for every search
- 30 initiated. Automated deselection is based on the assumption that the alternative selected first in time is the highest priority in the selection criteria 14, with subsequent selections of alternatives 6 having descending priority to the user.

35 USER DESELECTION

The user may also modify the selection criteria 14 by deselecting one of the selected alternatives 37.

Deselecting is accomplished by clicking the mouse once with the mouse pointer on one of the selected alternatives 37 to toggle the associated radiobutton 23 "off". User deselection of one of the selected alternatives 37 not part of the selection criteria 14 simply toggles the associated radiobutton 23 to "OFF". User deselection of one of the selected alternatives 37 that was part of the selection criteria 14 toggles the associated radiobutton 23 to "OFF" and, automatically initiates a search process to update the subfamily 2 and revise the feature screen 9 accordingly. User deselection and search is particularly helpful after identifying a family 1 via the Get Part Number Information Pick 44. Using the Get Part Number Information Menu and user deselection, the user, starting with a single part, may easily find a similar item by deselecting one or more of the selected alternatives 37.

TRIGGER ALTERNATIVE AND DEPENDANT GROUPING

In certain cases, a grouping 13 logically applies only if an alternative from a different grouping is selected. In this case, selection of a trigger alternative (not shown) within one grouping, will give rise to available alternatives 7 in a dependant grouping (not shown). Selection of one of the alternatives 6 in the dependant grouping will further refine the trigger alternative selection. With respect to cars for example, one grouping may be "transmission style" having "automatic transmission" and "manual transmission" as alternatives 6. The trigger alternative, "manual transmission", will give rise to the dependant grouping, "number of speeds" having alternatives 6 "three speed", "four speed", and "five speed". The alternatives 6 in the dependant grouping are not applicable to the users selection criteria 14 unless the trigger alternative is selected. In a preferred embodiment, therefore, the dependant grouping will not be displayed until selection

of the trigger alternative. Although this is part of a preferred embodiment, it is not included in the source code disclosed herein.

HIDDEN GROUPING

5 Alternatively, in a less preferred embodiment, all of the groupings 13 for a feature screen are initially displayed. If, as a result of a search and for a subfamily 2, all of the alternatives 6 within one of the groupings 13 are unavailable alternatives 8, the
10 grouping 13 is hidden and is not displayed. An example of a hidden grouping is illustrated in Figures 7 and 8 wherein the "Line" feature has no available alternatives 7 for the selection criteria 14 comprising "Magnet Wire".

15 PROPERTY SCREEN

At any point in the feature screen 9, a user may select the detail view pushbutton 207 to branch to the property screen 12. An example of the property screen 12 is shown in Figure 10. The property screen 12
20 displays the feature 5 and specific alternatives for a single item 3 in a tabular format, a feature table 32. The property screen 12 further displays additional properties 28 associated with the item 3 in a tabular format a property table 33. Also displayed is a picture
25 display of a line art 29 associated with the item 3, a comment area 30 and a subfamily part number list 31. A user may select any one of the part number entries 16 in the subfamily part number listbox 31 for display in the property screen 12.

30 The prior screen pushbutton 201, home pushbutton 202, and help pushbutton 203 are available from the property screen 12. View catalog pushbutton 209 branches the user to a screen with a representation of a catalog page for the item identified. In the embodiment
35 of an electronic catalog for electrical connectors, the view catalog pushbutton 209 branches to the screen an

example of which is shown in Figure 5. Print pushbutton 210 prints out the property screen 12.

DATAFILES

5 The feature screen 9 and the processing associated therewith is a piece of an overall electronic catalog system which includes additional operations such as the Alphabetical search, Picture search, View Catalog, and Get Part Number Information. Only those datafiles and operations associated with the feature screen 9 and
10 property screen 12 will be described hereinafter.

DATABASE ORGANIZATION DATAFILE

15 A Database Organization Datafile 60 defines the features 5 used in each unique feature screen 9 and the features 5 and properties 28 used in each unique property screen 12. A graphical representation of records in the Database Organization Datafile 60 is shown in Figure 11. Each record in the Database Organization Datafile 60 defines a set of features or properties and has seventeen fields: screen type 601,
20 screen 602, and feature one through feature fifteen 603. The screen type field 601 contains a value of "F" if the record defines features 5 and a value of "P" if the record defines properties 28. The screen field 602 contains a numerical value that represents each feature
25 screen 9 or Property screen 12. If the screen type field 601 contains a value of "F", the feature one field 603 through feature fifteen field 603 each contains a value that represents one unique feature 5 associated with one of the groupings 13 on the feature screen 9. If the screen type field 601 contains a value of "P",
30 the feature one field 603 through feature fifteen field 603 each contains a value representing one of the properties 28 to be listed on the property screen 12. The property screen 12 also uses the information in the record defining the feature screen 9 having the same
35 value in the screen field 602 to display features 5 in the feature table 32. There are fifteen feature fields

603 per record. The feature screen 9, therefore, may contain up to fifteen features 5 and the property screen 12 may contain up to fifteen features 5 in the feature table 32 and up to fifteen properties 28 in the property table 33. If one or more of the feature fields 603 is blank, then the feature screen 9 or property screen 12 represented by the record will contain a number of groupings 13 less than fifteen and a property screen represented by the record will have fewer than 15 features in the feature table 32 and/or fewer than fifteen properties in the property table 33.

PART NUMBER FEATURES DATAFILE

A Part Number Features Datafile 61 indicates the alternatives 6 for each feature 5 represented by an item 3. A graphical representation of records in the Part Number Features Datafile 61 is shown in Figure 12. Each record in the Part Number Features Datafile 61 has eighteen fields: screen 611, item 612, alternative one 613 through alternative fifteen 613, and locate 614. The Part Number Features Datafile screen field 611 contains a value representing one feature screen 9. All records within the Part Number Features Datafile 61 having the same value in the screen field 611 constitute a family of items 1. The value contained within the Part Number Features Datafile screen field 611 is used to cross reference to the Database Organization Datafile 62 screen field 602 having the same value and having a screen type field 601 containing a value of "F" for feature screen type. The feature one through feature fifteen fields 603 of the Database Organization Datafile 60 correspond directly to alternative one through alternative fifteen fields 613 in the Part Number Features Datafile 61. The item field 612 contains a part number that represents a single item 3 in a family 1. The alternative one field 613 through alternative fifteen field 613 each contain a value representing one alternative 6 that is associated with

the item 3 represented by one record. Each item 3 may be defined by up to fifteen alternatives 6. If any of the alternative one 613 through alternative fifteen fields 613 does not contain a value, then the field is unused and the alternative does not apply to the item. The locate field 614 contains a duplicate representation of the values contained in the feature screen field 611 and the alternative one through alternative fifteen fields 613, in a single field.

In order to determine which alternatives 6 relate to each item 3, cross reference is made between the Database Organization Datafile 60 and the Part Number Features Datafile 61. Each record in the Part Number Features Datafiles 61, defines one item 3. Associated with the item, by virtue of being contained in the same record, is a value contained within the screen field 611. Cross reference is made to the Database Organization Datafile 60 screen field 602 having the same value as the Part Number Features Datafiles 61 screen field 611 value and a screen type 601 value of "F". Values in the feature one 603 through feature fifteen fields 603 correspond to values in the alternative one 613 through alternative fifteen fields 613 to define which alternative 6 within each of the up to fifteen defined features 5 is represented by the item 3. In this way, therefore, each item 3 is defined as comprising a characteristic set of alternatives 6.

FEATURE SCREEN GROUP DATAFILE

The Feature Screen Group Datafile 62 defines a profile of each feature screen 9 and the groupings 13 contained therein. A graphical representation of records in the feature screen Group Datafile 62 is shown in Figure 13. Each record of the feature screen Group Datafile 62 has four fields: a screen 621, a grouping sequence 622, selection type 623, and feature 624. The screen field 621 contains a value representing one

feature screen. This number represents the same feature screen as is represented in all data files having a screen field 602, 611, 621, 631, 692, 661, 671 and is used for cross referencing purposes. The feature field 624 contains a unique number associated with one feature 5 and the grouping sequence field 622 contains a value representing a placement sequence of the grouping 13 on the feature screen 9. The selection type field 623 contains a value of "R" if alternatives 6 associated with the grouping 13 are selected via radio buttons 23 or a value of "L" if alternatives associated with the grouping 13 are selected via listbox entries 16. Although not implemented in a preferred embodiment, alternatives 6 may also be selected via a checklist (not shown), in which case the selection type field 623 will have a value of "C".

FEATURE SCREEN DESCRIPTION DATAFILE

The feature screen Description Datafile 63 defines the profile of the alternatives 6 for each feature 5 for a particular feature screen 9. A graphical representation of records in the feature screen Description Datafile 63 is shown in Figure 14. Each record of the feature screen Description Datafile 63 has four fields: screen 631, feature 632, alternative sequence 633, and alternative 634. The screen field 631 and feature field 632 contain values representing one feature screen 9 and feature 6 respectively similar to those found in the feature screen Group Datafile 62 screen field 621 and feature field 624. The alternative field 634 contains a value representing an alternative 6 of the feature 5 specified in feature field 632. The alternative sequence field 633 represents the sequential position of the alternative 6 listed in alternative field 634 if the grouping 632 has a selection type 623 of radio button, "R", or checklist "C".

FEATURE NAME DATAFILE

The Feature Name Datafile 64 cross references an alphanumeric name for each feature 5. A graphical representation of records in the Feature Name Datafile 64 is shown in Figure 15. Each record has two fields:
5 feature 641 and name 642.

FEATURE VALUE DATAFILE

The Feature Value Datafile 65 cross references numbers representing features 5 and alternatives 6 with an alphanumeric name. A graphical representation of
10 records in the Feature Value Datafile 65 is shown in Figure 16. Each record in the Feature Value Datafile 65 has three fields: feature 651, alternative 652, and name 653. The system uses the value in the name field 653 to appropriately caption alternatives 6 within the
15 groupings 13 on the feature screen 9.

FEATURE SCREEN IMAGE DATAFILE

The feature screen Image Datafile 66 defines an image file name of the picture 17 that is displayed in the upper right hand corner of the feature screen 9. A
20 graphical representation of records in the feature screen Image Datafile 66 is shown in Figure 17. Each record in the feature screen Image Datafile 66 has two fields: a screen 661 and an image file name 662. The value contained within the screen field 661 specifies
25 the feature screen 9. The value contained within the image file name field 662 is the name of a data file from which the system may retrieve a bitmapped representation of the representative picture 17 associated with the family of items 1 being searched in
30 the specified feature screen 9.

PART NUMBER PROPERTIES DATAFILE

A Part Number Properties Datafile 67 indicates the alternatives 6 represented for each item 3 for use with the Property Screen 12. A graphical representation of
35 records in the Part Number Properties Datafile 67 is shown in Figure 18. Each record in the Part Number Properties Datafile 67 has seventeen fields; screen 671,

item 672, and alternatives one 673 through alternative fifteen 673. The Part Number Properties Datafile screen field 671 contains a value representing one property screen 12. The value contained within the Part Number Properties Datafile screen field 671 is used to cross reference to the Database Organization Datafile 60 screen field 602 having the same value and having a screen type field 601 containing a value of "P" for property screen. The item field 672 contains a part number that represents a single item 3. The alternative one field 673, alternative two field 673 through alternative fifteen field 673 each contain a value representing a single alternative 6 that is associated with the item 3 represented by one record. One item 3 is defined by up to fifteen alternatives. If any of the alternative one through alternative fifteen fields 673 does not contain a value, then the field is unused and the alternative does not apply.

EXTRA PROPERTIES DATAFILE

An Extra Properties Datafile 68 defines additional characteristics for each item 3 for display in the Property Screen 12. A graphical representation of records in the Extra Properties Datafile 68 is shown in Figure 19. The additional characteristics do not represent alternatives and may not be searched, they are, however, displayed in the comment area 30 on the Property screen 12 as additional item information. Each record has three fields; item 681, comment 682, and image 683. The item field 681 contains a number representing one item 3.

SCREEN TITLE DATAFILE

The Screen Title Datafile 69 cross references the screen number and screen type with an alphanumeric string. A graphical representation of records in the Screen Title Datafile 69 is shown in Figure 20. Each record in the Screen Title Datafile 69 has three fields: screen type 691, screen 692, and title 693. The system

uses the value in the title field 693 to appropriately label Screens with the identifying title 48 at the top of all system screens.

SYSTEM SOFTWARE FLOW

5 The minimum system requirements for development of software to implement the process herein disclosed includes all hardware required for the system to use the software as well as Microsoft Visual Basic 3.0 Professional Edition and Accusoft Image Library VBX.

10 There are three program level files associated with the feature screen; FEATURES.FRM , GLOBAL.BAS , DATA.BAS, and PROPERTI.FRM. The PROPERTI.FRM is used to process property screen forms. FEATURES.FRM contains variable declarations and subroutines used to process
15 feature screen forms. GLOBAL.BAS contains variable declarations global to the entire electronic catalog application software. DATA.BAS contains subroutines, global to the entire application software, that are executed by FEATURES.FRM, PROPERTI.FRM as well as other
20 application forms. There are three main operations executed by FEATURES.FRM; feature screen Creation, Search, and feature screen Revision. Central to all three operations is a FrameInfo data array having one to fifteen elements.

25 GLOBAL.BAS defines the global variable FrameInfo having a data structure of FrameInfoType. FrameInfoType is also defined in GLOBAL.BAS. In a preferred embodiment, the FrameInfoType data structure includes; Feature, Type, CurSelection, DBColumn, DBFeatureNum, RBFeatVal array from 0 to 7 elements, RBStatus array
30 from 0 to 7 elements, SelectionOrder and NotApplicable, and is initialized to zero at the start of the feature screen operation. The executable code for the feature screen also uses a form, FRM 101, which is defined off
35 line using the Visual Basic software tool. FRM 101 defines, among other things, an interactive screen having fifteen frames and all relevant pushbuttons 25,

each frame 24 containing eight radiobuttons 23 and a listbox 15. FRM 101 is a general and consistent screen structure adapted by FrameInfo data to display a particular feature screen 9.

5 After identifying a particular family of items 1 to search using the Alphabetical Search, the Picture Search, the Get Part Number Information, or other identification system, the system uses FEATURES.FRM passing to it a global variable ScreenNum 102.

10 ScreenNum 102 indicates a numerical code for the appropriate feature screen 9 and is associated with one family of items 1 to be searched. ScreenNum 102 is the value contained in the screen fields 602, 611, 621, 631, 661, 671 and 692 associated with a particular feature screen 9.

15 FEATURE SCREEN CREATION

 The feature screen creation operation comprises an iterative loop that loads the FrameInfo data array in proper sequential grouping order with the appropriate data. A graphical representation of an embodiment of the feature screen creation operation flow to provide the grouping captions 57 is shown in Figure 21. A loop repeats for each grouping 13 defined for the feature screen 9 incrementing an ordinate 103 for each iteration. The number of groupings 13 and hence the number of iterations of the loop is up to fifteen in a preferred embodiment, although the system does not preclude modification of this number. For each sequential grouping 13, the system accesses the feature screen Group Datafile 62 to locate the record having a value in the screen field 621 and grouping sequence field 622 equal to ScreenNum 102 and the current FrameInfo ordinate 103 respectively. For the record located, FrameInfo(ordinate).Type is set equal to the value in the selection type field 623 and FrameInfo(ordinate).Feature is set equal to the value in the feature field 624. If FrameInfo(ordinate).Type is

equal to "L", then the listbox 15 for the grouping 13 identified in the grouping sequence field 622 is made visible. In a preferred embodiment, if there are more than eight alternatives 6 associated with one of the groupings 13, the grouping 13 comprises a listbox 15. The system uses the value in FrameInfo(ordinate).Feature to cross reference the Feature Name Datafile 64 and locates the record having the same value in the feature field 641. The caption 57 of the grouping 13 is set equal to the string value in the name field 642 of the record. The above operation continues, the result of which is to provide the caption 57 or name, representing a feature 5, for each grouping 13 on the feature screen 9.

15 The feature screen creation operation further comprises iterating a FrameInfo ordinate 103 from one to as many groupings 13 that exist for the feature screen 9. A graphical representation of an embodiment of the feature screen creation operation program flow labeling the alternatives 6 is shown in Figure 22. A nested operation iterates a count 104 corresponding to the number of alternatives 6 within the grouping 13 from zero to as many records as are found. When no matching records are found, the count is reset to zero, and the ordinate increments. The system uses ScreenNum 102, FrameInfo(ordinate).Feature, and count 104 plus one to cross reference the feature screen Description Datafile 63 and locate the record having matching values in the screen field 631, feature field 632, and alternative sequence field 633 respectively. The system uses FrameInfo(ordinate).Feature and alternative field 634 in the matching record in the feature screen Description Datafile 63 to cross reference the Feature Value Datafile 65 and locate a record having a match with the feature 651 and alternative 652 fields respectively. The name field 653 of the located record is used to label the respective alternative 6.

If FrameInfo(ordinate).Type is equal to "R", meaning that the grouping 13 is a set of radiobuttons 23, FrameInfo(ordinate).RBFeatVal(count) is set equal to the value in the alternative field 634 of the matching record in the feature screen Description Datafile 63. The radiobutton 23 is labeled with the string value in the name field 653 of the matching record in the Feature Value Datafile 65.

If the FrameInfo(ordinate).Type has a value of "L", meaning that the grouping 13 is a listbox 15, the same cross referencing and locating a matching record in the feature screen Description Datafile 63 and the Feature Value Datafile 65 as in the case of the radiobutton 23 described hereinabove applies. In the case of a listbox 15, however, the Visual Basic system organizes listbox entries 16 alphabetically. The string value in the name field 653 is inserted as a listbox entry 16 for the grouping 13. The value in the alternative field 634 is stored in an ItemData array (not shown) associated with the listbox 15. The ItemData array is inherent to Microsoft Windows and is part of a conventional listbox definition and building operation of Visual Basic. The result of the operation is properly captioned alternatives 6, as either radiobuttons 23 or listbox entries 16 for each grouping 13 used in the feature screen 9. In a preferred embodiment, if there are more than 8 alternatives 6 for one of the feature 5 in the family 1, the grouping 13 comprises a listbox. This particular distinction between the appropriate grouping style is a matter of design choice. When the grouping 13 and alternative 6 captions are set, the system adjusts the size of frames surrounding each grouping 13 to aesthetically pleasing proportions and adjacent spacings.

The feature screen creation operation further comprises identifying, for each grouping 13, the column position of a corresponding feature 5 in the Database

Organization Datafile 60. The column position is stored into FrameInfo.DBColumn. The program flow of this operation is not shown in the drawings. The system locates the record in the Database Organization Datafile 5 60 having a value of "F", meaning feature screen, in screen type field 601, and a value in the screen field 602 equal to ScreenNum 102. The FrameInfo.DBFeatureNum array is set equal to the values in the feature one 603 through grouping fifteen fields 603 respectively for the 10 record located. Incrementing the ordinate for each value in the FrameInfo(ordinate).Feature array, the system locates the position of the equivalent value in the FrameInfo.DBFeatureNum array. FrameInfo(ordinate).DBCcolumn is set equal to the 15 position of the equivalent value in the FrameInfo.DBFeatureNum array.

FEATURE SCREEN MANIPULATION

Subsequent to the feature screen creation operation, response to the user's mouse movements and 20 mouse clicks are administered by the Visual Basic System. If the user clicks on one of the radiobuttons 23, the system executes a subroutine entitled Radio_Click defined in FEATURES.FRM. Based upon the vicinity of the pointer 39, the system identifies the 25 sequential position of a current grouping 35 within the feature screen 9 and the sequential position of a current alternative 36 within the current grouping 35 to identify a FrameInfo(ordinate).RBStatus(count). If the 30 pointer 39 is resting on one of the available alternatives 7 that is also an unselected alternative 38, the FrameInfo.CurSelection for the current grouping 35 is set equal to the value of the current alternative 36 and FrameInfo.RBStatus for the current grouping 35 and the current alternative 36 is set to a negative one 35 meaning "SELECTED". In a preferred embodiment capable of the automated deselective search, when one of the alternatives 6 is selected, the FrameInfo.SelectionOrder

for the current grouping 35 is set equal to a
NumberOfSelections variable (not shown) plus one and the
NumberOfSelections variable is incremented. If the
pointer 39 is resting on one of the alternatives having
5 a FrameInfo.RBStatus of negative two meaning "FORCED" or
zero meaning that it is one of the unavailable
alternatives 8, there is no operation. If the pointer
39 is resting on one of the available alternatives 7
that is selected, then FrameInfo.CurSelection for the
10 current grouping is reset. The NumberOfSelections
variable is decremented and the FrameInfo.Selection
order is resequenced. The system initiates a search
operation.

If the user clicks on one of the listbox entries
15 16, the system executes a subroutine entitled
ListBox_click in FEATURES.FRM. The system identifies
the current grouping 35 and the current alternative 36.
If the pointer 39 is resting on one of the available
alternatives 7 that is not selected, the
20 FrameInfo.CurSelection for the current grouping 35 is
set equal to the current alternative 36 and
FrameInfo.SelectionOrder is set equal to a value of the
maximum current SelectionOrder which is expressed in the
NumberOfSelections variable plus one and the
25 NumberOfSelections variable is incremented. If the
pointer 39 is resting on one of the available
alternatives 7 that is selected, then
FrameInfo.CurSelection for the current grouping 35 is
reset. The NumberOfSelections variable is decremented
30 and the FrameInfo.Selection order is resequenced. The
system initiates a search operation.

SEARCH OPERATION

When the user either selects the search pushbutton
208 or double clicks on one of the unselected
35 alternatives 38, the system performs a search operation
using the current selection criteria 14. The current
selection criteria 14 is defined as the set of selected

alternatives 37 for the feature screen in which the user is operating, and is found in the FrameInfo.CurSelection array. A graphical representation of an embodiment of the search operation program flow is shown in Figure 23.

5 At the beginning of the search, in order to administer the radiobuttons 23, the system initializes the FrameInfo.RBStatus array for all available alternatives 7 to zero, and initializes FrameInfo.NotApplicable for all groupings 13 to zero. In order to administer the
10 listboxes 15, a two dimensional dynamically allocated ListStatus array (not shown) is declared having a first dimension of fifteen and a second dimension of one. A ListStatusSize variable (not shown) is initialized to one and retains a value representing the size of the
15 second dimension of the ListStatus array. A ListCounter array (not shown) having fifteen elements records the number of entries 16 added to each listbox 15 and is initialized to zero.

The system identifies all of the items 3 that match
20 the current selection criteria 14. Using FrameInfo.CurSelection the system cross references to the Part Number Features Datafile 61 to locate a record having a value in the appropriate alternative field 613 equivalent to the first nonzero Frame Info.CurSelection.
25 Incrementing an ordinate 103, the system identifies a FrameInfo(ordinate).CurSelection having a value greater than zero. FrameInfo(ordinate).DBCcolumn is used to identify the appropriate column in the Part Number Features Datafile 61. The system locates a record in
30 the Part Number Features Datafile 61 having a matching value in the appropriate column. When a record is located having the alternative 6 that matches, the system compares the remaining alternatives 6 in the selection criteria 14 against values in the alternative
35 fields 613 corresponding to the alternatives in the selection criteria 14. The system checks the remaining nonzero FrameInfo.CurSelection value against values in

the appropriate alternative one through alternative fifteen fields 613. If all of the selected alternatives 37 in the selection criteria 14 have a corresponding alternative field 613 in the located record, the located
5 record is a matching record for the current selection criteria 14. The matching record, therefore, represents an item 3 in the subfamily 2.

The system processes each item 3 in the subfamily 2 to identify which alternatives 6 are available
10 alternatives 7 within the subfamily 2. If the record is a matching record, the alternative fields 613 in the matching record not specified in the selection criteria 14, are processed in an iterative loop to update the available alternatives 7 and unavailable alternatives 8
15 in FrameInfo. FrameInfo is used to revise the feature screen 9 based upon the results of the selection criteria 14 and search or more precisely, based upon the existing subfamily 2.

For each alternative field 613 checked, the
20 following operation applies. If the alternative field 613 has no value, meaning that the grouping 13 associated with the alternative field 613 is not applicable to the item 3 defined in the matching record, the FrameInfo.NotApplicable is set to a value of one.
25 The FrameInfo.NotApplicable variable is, therefore, zero if all items 3 in the subfamily 2 have a value in the alternative field 613 for the respective grouping 13, and is nonzero if any one item 3 in the subfamily 2 has no value in the respective alternative field 613 for the
30 respective grouping 13. FrameInfo.NotApplicable having a nonzero value indicates that the associated grouping does not logically apply to all of the items in the subfamily 2. Therefore, with respect to a preferred embodiment, if FrameInfo.NotApplicable is set to
35 nonzero, the respective grouping 13 is not displayed. Alternatively, in a less preferred embodiment, a

grouping 13 is not displayed if all of the respective alternatives 6 are unavailable alternatives 8.

If the grouping 13 is a set of radiobuttons 23, and the alternative field 613 has a value,

5 FrameInfo.RBStatus associated with the grouping 13 and alternative 6 specified in the alternative field 613 is set to a one, meaning that the radiobutton 23 for the specified alternative 6 is an available alternative 7. Available alternatives 7 are shown on the feature screen
10 9 in a bold font. If the grouping 13 is a listbox 15 and the alternative field 613 has a value, the system determines whether the alternative 6 specified in the alternative field 613 is already listed in the ListStatus array. If the alternative 6 has not already
15 been added, the ListCounter is incremented for the respective listbox 15, the ListStatusSize is set to reflect the size of the largest listbox, and if necessary, the ListStatus array 110 is dynamically allocated a single additional element. The ListStatus
20 array 110 for the sequential position of the grouping 13, specified in the first dimension, and the sequential position of the alternative 6, specified in the second dimension, is set equal to the value in the alternative field 613. The operation repeats for all alternative
25 fields 613 that were not used to locate an item from the selection criteria.

In a preferred embodiment, if a search operation results in a subfamily 2 having no items 3, the most recently selected alternative will be automatically
30 deselected and the search operation will repeat with the revised selection criteria 14. The automatic deselection of the most recently selected alternative will repeat until the search operation results in a subfamily 2 having at least one item 3. Although not
35 implemented in the source code of the software disclosed herein, the automatic deselection operation would be implemented as follows. Where FrameInfo

(ordinate).SelectionOrder is equal to the
NumberOfSelections variable, the
FrameInfo(ordinate).CurSelection and
FrameInfo(ordinate).SelectionOrder will be reset to
5 zero, and the Number of Selections will be decremented.
The same search process will be initiated using the new
selection criteria 14. The automatic deselection will
repeat until the search results in a subfamily 2 having
one or more items 3.

10 The entire FrameInfo updating process occurs for
every record in the Part Number Features Datafile 61.
The results of the Searching operation are updated
FrameInfo and ListStatus arrays. The FrameInfo and
ListStatus arrays are used to revise the feature screen
15 according to the results of the search.

FEATURE SCREEN REVISION

Using the updated FrameInfo and ListStatus arrays,
the system revises the feature screen 9 accordingly in
the feature screen revision operation. A graphical
20 representation of an embodiment of the feature screen
revision operation is shown in Figure 24. The feature
screen revision operation comprises enabling
radiobuttons 23 for the available alternatives 7,
disabling the radiobuttons 23 for the unavailable
25 alternatives 8, identifying and disabling the
radiobuttons 23 for forced alternatives 34, updating the
ItemData array with listbox entries 16 for the available
alternatives 7 and unavailable alternatives 8, and
removing the grouping 13 from the feature screen 9 if
30 all of the alternatives 6 in the grouping 13 are
unavailable alternatives 8. A loop incrementing the
ordinate 103 iterates for each grouping 13. In a
preferred embodiment, if FrameInfo.NotApplicable is
nonzero, the grouping 13 associated with the
35 FrameInfo(ordinate) will not be displayed. If the
grouping 13 comprises radiobuttons 23, the radiobutton
23 associated with each element in the

FrameInfo.RBStatus array that equals zero is disabled.
If the grouping 13 is a listbox 15, the ListStatus array
for the grouping 13 is searched against the ItemData
array. If an element in the ItemData array for the
5 grouping 13 is not found in the ListStatus array 110, it
is removed from the ItemData array and therefore does
not appear as one of the listbox entries 16. For each
grouping 13 that does not contain a selected alternative
37, the system counts the number of available
10 alternatives 7 in the FrameInfo(ordinate).RBStatus
array. If there is one and only available alternative
7, the one available alternative 7 is set to a negative
two, meaning "FORCED", and the associated radiobutton 23
is turned "on" and is displayed as partially filled in
15 black, but it is disabled meaning that it may not be
toggled to "off" during the feature screen manipulation
operation.

After the feature screen revision operation, the
system returns to the feature screen manipulation
20 operation permitting the user to modify the selection
criteria 14 based upon the results of the search.

INTERNET EMBODIMENT

INTERNET EMBODIMENT USER FLOW

In an embodiment of the invention in an Internet
25 environment, there is a server computer 125 and a client
computer 126. All of the program files and data files
described in the local embodiment reside on the server
125. In the Internet embodiment, the server 125
comprises a computer having a minimum of 8 Mbytes of RAM
30 and 50 MBytes of available hard disk memory and an Intel
Pentium processor running Microsoft Windows 3.1. The
server 125 may have hardware access to the Internet via
any conventional method. Server 125 communication on
the Internet uses Microsoft Windows World Wide Web
35 Server using HyperText Transport Protocol ("HTTPD") from
the National Center for Supercomputing Applications
("NCSA") at the University of Illinois and Windows

TCP/IP package that supports Windows Sockets interface, preferably Chameleon TCP/IP for Windows by NetManage, Inc. of Cupertino, CA. The client 126 is a computer having a minimum of 4MBytes of RAM and an Intel 80386 processor running Microsoft Windows 3.1 and having a display device, keyboard, and mouse. The client 126 has TCP/IP access to the Internet, such as Chameleon by NetManage. The client 126 also requires a Mosaic compatible browser, such as AIR Mosaic by SPRY, Inc. of Seattle, WA.

A preferred embodiment of the Internet embodiment of the electronic catalog application mirrors the user flow in the local embodiment as much as possible. Based upon certain restrictions inherent in current Internet capabilities with respect to building an interactive screen, the feature screen 9 for the Internet embodiment has a layout that is slightly different from the local embodiment. The feature screen 9 for the Internet embodiment is shown by way of example in Figures 26 through 29.

INTERNET EMBODIMENT PROGRAM FLOW

The client 126 initiates a request to the server 125 for the electronic catalog searching application via the Internet. The server 125 detects the request. Receipt of the request executes the requested application on the server 125 that permits a user on the client 126 to select a family 1 or subfamily 2. Example of Main Menu, Alphabetical search, Picture Search, and View Part Number screens are shown in Figures 31 through 35. When the family 1 or subfamily 2 is chosen, the server 125 sends a feature screen status 127 to the client 126. The feature screen status 127 comprises a feature screen code, ScreenNum 102 in a preferred embodiment, all features 5 appropriate to the feature screen 9 specified in ScreenNum 102, all available alternatives 7, all unavailable alternatives 8, and the selection criteria 14. As the selection criteria 14 is

always sent, it may comprise zero selected alternatives
37. It is apparent, therefore, that the server 125
sends all of the information necessary to define the
current subfamily 2 to the client 126. The information,
5 therefore, need not be retained in memory on the server
125. This particular feature renders it particularly
appropriate for an Internet environment. The client 126
receives the feature screen status 127 and displays the
feature screen 9 accordingly. An example of the feature
10 screen 9 on the Internet is shown in Figure 26 through
29. The user on the client, makes selections from among
the available alternatives 7 generating a selection
criteria 14 different from that which was set to it.
The client 126 initiates a search with the modified
15 selection criteria 14. The client 126 sends to the
server 125, the ScreenNum 102 value sent to it by the
server, and the modified selection criteria 14. The
server 125 receives the ScreenNum 102 and the selection
criteria 14. The server 125 executes the search
20 operation as disclosed hereinabove using the revised
selection criteria 14 and generates the feature screen
status 127. The server 125 sends the feature screen
status 127 that has been updated based on the modified
selection criteria 14 to the client 126. The client 126
25 receives the feature screen status 127 and displays the
updated feature screen 9. This process may iterate
similar to the local version to further narrow the
subfamily as desired.

The feature screen 9 in a preferred embodiment,
30 permits the user to choose to view the representative
picture 17 by selecting a view family picture pushbutton
211. When the user on the client 126 selects the view
family picture pushbutton 211, the client 126 sends a
request to the server 125 for the picture 17 as well as
35 the feature screen code, ScreenNum 102.

The user accesses the property screen 12 by
selecting the detail view pushbutton 207. An example

of the property screen 12 format for the Internet embodiment is shown in Figure 30. When the user on the client 126 selects the detail view pushbutton 207, the client 126 sends to the server 125 the feature screen code, ScreenNum 102, and the selection criteria 14. The server 125 returns the features 5, the alternatives 6, the properties 28, and the line art 29 for the item 3, or the first item in a larger subfamily 2, satisfying the selection criteria 14. To view the property screen 12 for the next item 3 listed in the subfamily 2, the user on the client 126 selects a next pushbutton 212. Selection of the next pushbutton 212 causes the client 126 to initiate a request to the server 125. The client 126 sends to the server 125 the feature screen code, the selection criteria 14, a request for property screen information, and an indication of which item of the subfamily 2 is of interest.

CLAIMS:

I claim:

1. A method for assisting a user in identifying a
5 subfamily of items within a family of items, comprising
the steps of:

- (a) providing a computer readable data file of
stored information representing at least one family of
items, said data file identifying at least one
10 alternative for each item,
(b) reading said data file,
(c) displaying a feature screen indicating said
alternatives represented in the family,
(d) accepting at least one selected alternative,
15 (e) determining the subfamily of items wherein each
said item in the subfamily satisfies said selected
alternatives,
(f) determining available alternatives represented
in the subfamily and unavailable alternatives
20 unrepresented in the subfamily, and
(g) revising said feature screen indicating said
available alternatives as distinct from said unavailable
alternatives.

25 2. The method according to claim 1 wherein each family
has at least one feature associated therewith and
further comprising the step of:

30 displaying at least one grouping wherein each said
grouping comprises one of said features visually related
to respective alternatives.

35 3. The method according to claim 2 wherein respective
alternatives within one of said groupings are mutually
exclusive of each other. (unimp)

4. The method according to claim 1 and further
comprising the steps of:

modifying said selected alternatives and repeating the steps of accepting said selected alternatives, determining the subfamily, determining said available alternatives, and revising said feature screen.

5

5. The method according to claim 4 wherein said selected alternatives are automatically modified by deselecting a most recently selected alternative if the subfamily comprises zero items.

10

6. The method according to claim 1 and further comprising the step of:

indicating the number of items in the subfamily.

15

7. The method according to claim 1 and further comprising the steps of:

displaying said available alternatives in a first format and displaying unavailable alternatives in a second format.

20

8. The method according to claim 7 and further comprising the step of:

displaying said selected alternatives in a third format.

25

9. The method according to claim 8 wherein said first format is a bold font and said second format is a grey shaded font and said third format is a bold and underlined font.

30

10. The method according to claim 2 and further comprising the step of:

providing an interactive pointer and displaying information specific to one of said features upon a user initiated signal when said pointer is pointing to a feature caption on said feature screen.

11. The method according to claim 2 wherein at least one of said groupings is hidden from view if all said respective alternatives are also unavailable alternatives.

5

12. The method according to claim 2 wherein at least one of said groupings comprises a trigger alternative, and further comprising the step of:

displaying a dependant grouping only if said trigger alternative is one of said selected alternatives.

10

13. The method according to claim 2 further comprising the step of:

15

automatically selecting one of said available alternatives if all remaining respective alternatives are unavailable alternatives.

SEK

20

14. The method according to claim 1 wherein, the steps of providing a computer readable data file, reading said data file, and determining said subfamily are executed on a server and wherein, the steps of displaying said feature screen, accepting said selected alternatives, and revising said feature screen are executed on a client and further wherein, said server is accessible by said client.

SEK

25

15. The method according to claim 14 and further comprising the steps of:

SEK

30

said server receiving from said client a feature screen code and said selected alternatives, and

said server sending to said client a feature screen status. (imp. - innovation, in status sent to user so apparently in session - even tho it's actually happening)

35

16. The method according to claim 15 wherein, said feature screen status comprises:

SEK

said feature screen code, available alternatives, unavailable alternatives, and said selected alternatives.

- 5 17. A method of assisting a user in identifying a subfamily of items within a family of items, comprising the steps of:
- 54 K
- 10 (a) providing a computer readable data file of stored information representing at least one family of items, wherein the family has features associated therewith and each said feature has alternatives associated therewith, said family comprising a plurality of items wherein each said item has one said alternative associated with each said feature,
- 15 (b) displaying said features and said alternatives on a feature screen,
- (c) accepting at least one selected alternative,
- (d) determining the subfamily wherein each item in the subfamily satisfies said selected alternatives,
- 20 (e) determining available alternatives and unavailable alternatives represented by the subfamily,
- (f) revising said feature screen to ~~reflect~~ said available alternatives as distinct from said unavailable alternatives.
- 25 18. The method according to claim 17 wherein, each said available alternative is displayed in a first format, each said unavailable alternative is displayed in a second format, and each said selected alternative is
- 30 displayed in a third format.
19. The method according to claim 18 wherein, said first format is a grey shaded font, and said second format is a bold font.
- 35 20. The method according to claim 17 and further comprising the step of:

displaying at least one grouping, each said grouping comprising one of said features visually related to respective alternatives.

5 21. The method according to claim 20 wherein, if said grouping does not contain at least one available alternative, said grouping is not displayed.

10 22. The method according to claim 17 further comprising the step of:

displaying a plurality of pictures, each said picture representing one family and being selectable by a user to identify one family.

15 23. The method according to claim 17 further comprising the step of:

displaying an alphanumeric list of entries, each said entry representing one family and being selectable by a user to identify one family.

20

24. The method according to claim 17 further comprising the step of:

providing a user input area and receiving an alphanumeric reference for identifying a family.

25

25. The method of claim 17 further comprising the steps of:

55K (a) providing a user selector for each item of said subfamily,

30 (b) receiving a signal identifying a single item within said subfamily, and

(c) displaying additional information about said item.

35 26. The method of claim 25 wherein said additional information comprises detailed specifications concerning said item.

27. The method of claim 25 wherein said additional information comprises a pictorial representation of said single member.

5 28. The method of claim 25 wherein said additional information comprises related items.

29. A system for assisting a user in identifying a subfamily of items within a family of items, comprising:

10 (a) a computer having memory, a display device, a user input device, and an interactive pointer,

SgK (b) a computer readable data file stored in said memory, said data file representing at least one family of items and identifying at least one alternative for each item,

15 (c) a feature screen displayed on said display device, said feature screen indicating available alternatives represented in the family,


20 (d) said user input device accepting at least one selected alternative, wherein said computer determines a subfamily of items wherein each said item in said subfamily contains said selected alternatives, and further wherein, said display device revises said feature screen ^{to display} ~~indicating~~ said available alternatives ^{as distinct from} ~~and~~ unrepresented in the subfamily.

25 represented in the subfamily ~~and~~ unrepresented in the subfamily.

SgK 30 30. The system according to claim 29 wherein, said computer having said computer readable data file comprises a server computer accessible by a client computer having said display device, said user input device, and said interactive pointer.


ABSTRACT

A process for identifying a single item from a family of items presents a user with a feature screen having a series of groupings. Each grouping represents a feature having a set of alternatives from which to select. Selected alternatives are used as a selection criteria in a search operation. Results of the search operation is a revised feature screen indicating alternatives that remain available to the user for further selection and searching. The feature screen and search process, therefore, presents the user with a guided nonhierarchical parametric search to identify matching items based upon user specified criteria and priorities. Also disclosed is an adaptation of the claimed method and system appropriate in an Internet environment.



MAIN MENU

Fig. 1




ALPHABETICAL SEARCH

Fig. 2

2025 RELEASE UNDER E.O. 14176

6593280" E0642E50




PICTURE SEARCH AND
SECOND LEVEL PICTURE SEARCH

Fig. 3

48

Catalog Viewing Options


 Enter Fax Code:

Catalog View Method

☒ By Fax-Code 19

☐ By Part Number 18

☐ By Catalog Number 20

 45

OK 51

Cancel 52

VIEW CATALOG PAGE

Fig. 4

FASTON Terminals (Insulated and Uninsulated)

File View Zoom Page


53 54 55

AMP

Version 07/90 Printed 1/90

FASTON Receptacles
312 and 250 Series


312 Series Receptacles
Premier Line
Insulation Support
2.312 p. 125-126
Steel Mounting Base



Mounting Base Tab Mounting Dimensions (mm)

Wire Range AWG	Insulation Diameter	Mounting Base Dimensions	Terminal Part No.	Application File No.
14-18	1.00 to 1.125	1.00 to 1.125	41772-1	82004-7
18-22	1.00 to 1.125	1.00 to 1.125	41772-2	82004-7

250 Series Receptacles
Premier Line
Insulation Support
1.250 p. 127-128
Steel Mounting Base



Wire Range AWG	Insulation Diameter	Mounting Base Dimensions	Terminal Part No.	Application File No.
14-18	1.00 to 1.125	1.00 to 1.125	41772-1	82004-7
18-22	1.00 to 1.125	1.00 to 1.125	41772-2	82004-7
22-24	1.00 to 1.125	1.00 to 1.125	41772-3	82004-7
24-26	1.00 to 1.125	1.00 to 1.125	41772-4	82004-7
26-28	1.00 to 1.125	1.00 to 1.125	41772-5	82004-7
28-30	1.00 to 1.125	1.00 to 1.125	41772-6	82004-7
30-32	1.00 to 1.125	1.00 to 1.125	41772-7	82004-7
32-34	1.00 to 1.125	1.00 to 1.125	41772-8	82004-7
34-36	1.00 to 1.125	1.00 to 1.125	41772-9	82004-7
36-38	1.00 to 1.125	1.00 to 1.125	41772-10	82004-7
38-40	1.00 to 1.125	1.00 to 1.125	41772-11	82004-7
40-42	1.00 to 1.125	1.00 to 1.125	41772-12	82004-7
42-44	1.00 to 1.125	1.00 to 1.125	41772-13	82004-7
44-46	1.00 to 1.125	1.00 to 1.125	41772-14	82004-7
46-48	1.00 to 1.125	1.00 to 1.125	41772-15	82004-7
48-50	1.00 to 1.125	1.00 to 1.125	41772-16	82004-7
50-52	1.00 to 1.125	1.00 to 1.125	41772-17	82004-7
52-54	1.00 to 1.125	1.00 to 1.125	41772-18	82004-7
54-56	1.00 to 1.125	1.00 to 1.125	41772-19	82004-7
56-58	1.00 to 1.125	1.00 to 1.125	41772-20	82004-7
58-60	1.00 to 1.125	1.00 to 1.125	41772-21	82004-7
60-62	1.00 to 1.125	1.00 to 1.125	41772-22	82004-7
62-64	1.00 to 1.125	1.00 to 1.125	41772-23	82004-7
64-66	1.00 to 1.125	1.00 to 1.125	41772-24	82004-7
66-68	1.00 to 1.125	1.00 to 1.125	41772-25	82004-7
68-70	1.00 to 1.125	1.00 to 1.125	41772-26	82004-7
70-72	1.00 to 1.125	1.00 to 1.125	41772-27	82004-7
72-74	1.00 to 1.125	1.00 to 1.125	41772-28	82004-7
74-76	1.00 to 1.125	1.00 to 1.125	41772-29	82004-7
76-78	1.00 to 1.125	1.00 to 1.125	41772-30	82004-7
78-80	1.00 to 1.125	1.00 to 1.125	41772-31	82004-7
80-82	1.00 to 1.125	1.00 to 1.125	41772-32	82004-7
82-84	1.00 to 1.125	1.00 to 1.125	41772-33	82004-7
84-86	1.00 to 1.125	1.00 to 1.125	41772-34	82004-7
86-88	1.00 to 1.125	1.00 to 1.125	41772-35	82004-7
88-90	1.00 to 1.125	1.00 to 1.125	41772-36	82004-7
90-92	1.00 to 1.125	1.00 to 1.125	41772-37	82004-7
92-94	1.00 to 1.125	1.00 to 1.125	41772-38	82004-7
94-96	1.00 to 1.125	1.00 to 1.125	41772-39	82004-7
96-98	1.00 to 1.125	1.00 to 1.125	41772-40	82004-7
98-100	1.00 to 1.125	1.00 to 1.125	41772-41	82004-7

Catalog: 82004


Rev: 07/90

Page 10

P/N: 41772

CATALOG PAGE

Fig. 5



VIEW PART NUMBER INFORMATION

Fig. 6

669780-034360

9

48

FASTON Receptacles - Uninsulated

Matching Qty: 47 P/N: 46

202 203 204 205 206 207 208

24 201 13

Specials

☐ None 35

☐ For Posted Hermetic Tabs

☐ Receptacle/Tab Combination

Tab Fit

110 x .016

110 x .020

110 x .025

Receptacle Style

☐ Straight

☐ Flag

☐ Reversible Flag

Insulation Support

☐ Insulation Support 38

☐ Non-Insulation Support

Wire Type

☐ Regular Wire

☐ Magnet Wire

Wire Range

12-10

12-10/(2)12/(2)14

12-10/(2)14

Insulation Dia.

030-.070

040-.060

040-.070

Insertion Force

☐ Normal

☐ Low

Material

☐ Brass 57

☐ Phosphor-Bronze

☐ Steel

16

15

13

23

13 5 6 36

Finish

☐ None

☐ Tin

☐ Pre Tin

☐ Silver

☐ Nickel

Line

☐ Premier

☐ Budget

☐ Economy

☐ Commercial

☐ Moldable

Crimp Type

☐ "F"

☐ Tab-Lok

17

1600

102

Fig. 7

FASTON Receptacles - Uninsulated

Matching Qty: P/N:

Icons:

Image: 17

Specials

- ☒ None
- ☐ For Posted Hermetic Tabs
- ☐ Receptacle/Tab Combination

Tab Fit

250 x .020
250 x .032

Receptacle Style

- ☒ Straight
- ☐ Flag
- ☐ Reversible Flag

Insulation Support

- ☒ Insulation Support
- ☐ Non-insulation Support

Wire Type

- ☐ Regular Wire
- ☒ Magnet Wire

Wire Range

18-14
18-14/(2)17
20-16/(2)20/23

Insulation Dia.

050-080
100-140/(2)060 MAX
120-170

Insertion Force

- ☐ Normal
- ☐ Low

Material

- ☒ Brass
- ☐ Phosphor-Bronze
- ☐ Steel

Finish

- ☐ None
- ☐ Tin
- ☐ Pre Tin
- ☐ Silver
- ☐ Nickel

Crimp Type

- ☒ "F"
- ☐ Tab-Lok

Handwritten numbers: 7, 15, 34, 14, 37, 5, 13, 6, 8

Fig. 8

60384-1 60384-1

FASTON Receptacles - Uninsulated

Matching Qty: P/N:

☐ ☐ ☐ ☐ ☐ ☐ ☐

☒ None
☐ For Posted Hermetic Tabs
☐ Receptacle/Tab Combination

Tab Fit

Receptacle Style
☒ Straight
☐ Flag
☐ Reversible Flag

Insulation Support
☒ Insulation Support
☐ Non-Insulation Support

Wire Type
☐ Regular Wire
☒ Magnet Wire

Wire Range

Insulation Dia.

Insertion Force
☒ Normal
☐ Low

Material
☒ Brass
☐ Phosphor-Bronze
☐ Steel

Finish
☒ None
☐ Tin
☐ Pre Tin
☐ Silver
☐ Nickel

Crimp Type
☒ "F"
☐ Tab-Lok

Fig. 9




Fig. 10

60

601

602

603

SCREEN TYPE	SCREEN	FEA. 1	FEA. 2	FEA. 3	FEA. 4	FEA. 5	FEA. 6	FEA. 7	FEA. 8	...	FEA. 15
F	1600	50	38	32	31	34	40	41	42		
P	1600	1001	1002	1003	1004	101	7	43	49		
F	1200	32	30	4	7	14	100				

Fig. 11

62

621

622

623

624

FEATURE SCREEN	GROUPING SEQUENCE	SELECTION TYPE	FEATURE
1575	1	R	57
1575	2	R	58
1575	3	L	69

63

631

632

633

634

SCREEN	FEATURE	ALTERNATIVE SEQUENCE	ALTERNATIVE
1101	100	1	11
1101	100	2	7
1101	11	1	1
1101	11	2	2
1101	11	3	3

Fig. 13

Fig. 14

FEATURE	NAME
1	Material
2	Number of Positions
43	Stock Thickness
50	Tab Fit
57	Barrel Type
68	Wire Gauge
100	Color
1002	UL Listed

Fig. 15

SCREEN TYPE	SCREEN	TITLE
Menu	100	FASTON Terminals
Feature	1005	FASTON Tabs
Feature	1575	FASTON Receptacles

65366004360

651 652 653 65

FEATURE	ALTERNATIVE	NAME
57	1	Open Barrel
57	3	Closed Barrel (PIDG)
68	18	18 AWG
100	1	Red
100	2	Blue
100	3	Green
100	4	Black
50	1	.312 x .032
50	2	.250 x .032
50	10	.110 x .020
50	11	.110 x .016
43	1	.010
43	2	.012
43	6	.016

Fig. 16

661 662

SCREEN	IMAGE FILE NAME
1101	POSLOK
1151	FASTIN
1200	AMPIP

66

Fig. 17




Fig. 21

Fig. 22





Fig. 23






Fig. 24




Fig. 25

FASTON Receptacles - Uninsulated

[Go to Main Menu](#) | [View Family Picture](#)

? [Specials: None](#) | [For Posted Hermetic Tabs](#) | [Receptacle/Tab Combination](#)

? [Tab Fit: 110 x .016](#) | [110 x .020](#) | [110 x .025](#) | [110 x .032](#) | [187 x .015](#) | [187 x .017](#) | [187 x .020](#) | [187 x .032](#) | [205 x .020](#) | [205 x .032](#) | [250 x .020](#) | [250 x .032](#) | [312 x .032](#)

? [Receptacle Style: Straight](#) | [Flag](#) | [Reversible Flag](#)

? [Insulation Support: Insulation Support](#) | [Non-Insulation Support](#)

? [Wire Type: Regular Wire](#) | [Magnet Wire](#)

? [Wire Range: 12-10](#) | [12-10/\(2\)12/\(2\)14](#) | [12-10/\(2\)14](#) | [14-10](#) | [14-10/\(2\)14](#) | [16-12](#) | [16-12/\(2\)18](#) | [18-12](#) | [18-14](#) | [18-14/\(2\)16](#) | [18-14/\(2\)17](#) | [18-16](#) | [18-16/\(2\)18](#) | [20-14](#) | [20-16](#) | [20-16/\(2\)20](#) | [20-16/\(2\)20/23](#) | [20-18/\(2\)20](#) | [22-16](#) | [22-18](#) | [22-20](#) | [24-19](#) | [24-20](#) | [24-22](#) | [26-22](#)

? [Insertion Force: Normal](#) | [Low](#)

? [Material: Brass](#) | [Phosphor-Bronze](#) | [Steel](#)

? [Finish: None](#) | [Tin](#) | [Pre Tin](#) | [Silver](#) | [Nickel](#)

? [Crimp Type: F](#) | [Tab-Lok](#)

Fig. 26

201

9

FASTON Receptacles - Uninsulated

207

[Go to Main Menu](#) | [View Family Picture](#) | [Reset Selections](#) | [View Details](#)

Number of Matching P/Ns: 34

47

206

☐ **Specials:** [None] | For Posted Hermetic Tabs | Receptacle/Tab Combination

☐ **Tab Fit:** 110 x 016 | 110 x 020 | 110 x 025 | 110 x 032 | 187 x 015 | 187 x 017 | 187 x 020 | 187 x 032 | 205 x 020 | 205 x 032 | 250 x 020 | 250 x 032 | 312 x 032

☐ **Receptacle Style:** Straight | Flag | Reversible Flag

37

☐ **Insulation Support:** Insulation Support | [Non-Insulation Support]

☐ **Wire Type:** [Regular Wire] | Magnet Wire

34

☐ **Wire Range:** 12-10 | 12-10(2)12(2)14 | 12-10(2)14 | 14-10 | 14-10(2)14 | 16-12 | 16-12(2)18 | 18-12 | 18-14 | 18-14(2)16 | 18-14(2)17 | 18-16 | 18-16(2)18 | 20-14 | 20-16 | 20-16(2)20 | 20-16(2)20/23 | 20-18(2)20 | 22-16 | 22-18 | 22-20 | 24-19 | 24-20 | 24-22 | 26-22

☐ **Insertion Force:** [Normal] | Low

☐ **Material:** Brass | Phosphor-Bronze | Steel

☐ **Finish:** None | Tin | Pre Tin | Silver | Nickel

8

☐ **Crimp Type:** "F" | Tab-Lok

7

Fig. 27

FASTON RECEPTACLES

FASTON Receptacles - Uninsulated

[Go to Main Menu](#) | [View Family Picture](#) | [Reset Selections](#) | [View Details](#)

Number of Matching P/Ns: 13 | 4

?

Specials: None

| For Posted Hermetic Tabs | Receptacle/Tab Combination

?

Tab Fit: .110 x .016 | .110 x .020 | .110 x .025 | .110 x .032 | .187 x .015 | .187 x .017 | .187 x .020 | .187 x .032 | .205 x .020 | .205 x .032 | .250 x .020 | .250 x .032 | 312 x .032

?

Receptacle Style: Straight | Flag | Reversible Flag

?

Insulation Support: Insulation Support | Non-Insulation Support

?

Wire Type: Regular Wire | Magnet Wire

?

Wire Range: 12-10 | 12-10/(2)12/(2)14 | 12-10/(2)14 | 14-10 | 14-10/(2)14 | 16-12 | 16-12/(2)18 | 18-12 | 18-14 | 18-14/(2)16 | 18-14/(2)17 | 18-16 | 18-16/(2)18 | 20-14 | 20-16 | 20-16/(2)20 | 20-16/(2)20/23 | 20-18/(2)20 | 22-16 | 22-18 | 22-20 | 24-19 | 24-20 | 24-22 | 26-22

?

Insertion Force: Normal | Low

?

Material: Brass | Phosphor-Bronze | Steel

?

Finish: None | Tin | Pre Tin | Silver | Nickel

?

Line: Premier | Budget | Economy | Commercial | Moldable

?

Crimp Type: F | Tab-Lok

9

4

8

7

Fig. 28

FASTON Receptacles - Uninsulated

[Go to Main Menu](#) | [View Family Picture](#) | [Reset Selections](#) | [View Details](#)

Matching P/Ns: 42845-1 — 46

[?] Specials: [None] | For Posted Hermetic Tabs | Receptacle/Tab Combination

[?] Tab Fit: .110 x .016 | .110 x .020 | .110 x .025 | .110 x .032 | .187 x .015 | .187 x .017 | .187 x .020 | .187 x .032 | .205 x .020 | .205 x .032 | .250 x .020 | .250 x .032 | .312 x .032

[?] Receptacle Style: [Straight] | Flag | Reversible Flag

[?] Insulation Support: Insulation Support | [Non-Insulation Support]

[?] Wire Type: [Regular Wire] | Magnet Wire

[?] Wire Range: 12-10 | 12-10/(2)12/(2)14 | 12-10/(2)14 | 14-10 | 14-10/(2)14 | 16-12 | 16-12/(2)18 | 18-12 | 18-14 | 18-14/(2)16 | 18-14/(2)17 | 18-16 | 18-16/(2)18 | 20-14 | 20-16 | 20-16/(2)20 | 20-16/(2)20/23 | 20-18/(2)20 | 22-16 | 22-18 | 22-20 | 24-19 | 24-20 | 24-22 | 26-22

[?] Insertion Force: [Normal] | Low

[?] Material: [Brass] | Phosphor-Bronze | Steel

[?] Finish: [None] | Tin | Pre Tin | Silver | Nickel

[?] Line: Premier | Budget | [Economy] | Commercial | Moldable

[?] Crimp Type: ["F"] | Tab-Lok

Fig. 29

201

-202

212

32

34

Fax Code	1001-1200
UL Listed	Approved
RU (UL Component Program)	No
CSA Certified	Approved
-	-
Packaging	Strip Form
Stock Thick.	.016
Dim. L	.755
Dim. T	.090
-	-
-	-
-	-

Technical drawing of a mechanical component, likely a bracket or arm, showing dimensions: 300, 305, L, and T.

Fig. 30

AMP Electronic Catalog -- Main Menu



Alphabetical Search



Picture Search



View Part Number Details

Note: This option requires form support.

Fig. 31

AMP Electronic Catalog -- Alphabetical Index

[Return to Main Menu](#)

[A](#) / [B](#) / [C](#) / [D](#) / [E](#) / [F](#) / [G](#) / [H](#) / [K](#) / [L](#) / [M](#) / [P](#) / [R](#) / [S](#) / [T](#) / [U](#) / [W](#)

[062 Commercial Pin and Socket Rectangular Connectors](#)

[093 Commercial Pin and Socket Rectangular Connectors](#)

A

[Alternator Eyelet Terminal](#)

[AMPIP Housings for FASTON Receptacles](#)

[AMPLI-BOND Ring and Spade Tongue Terminals](#)

[AMPLIVAR Receptacles for Tabs, Magnet Wire](#)

[AMPLIVAR Ring Tongue Terminals, Magnet Wire](#)

[AMPLIVAR Splices, Magnet Wire](#)

[AMPLIVAR Tabs, Magnet Wire](#)


B

[Budget Line FASTON Terminals](#)


Fig. 32

AMP Electronic Catalog -- Picture Index

[Return to Main Menu](#)




**Terminals &
Splices**



Connectors

Fig. 33

[Return to Main Menu](#) / [Previous Picture Level](#)



Receptacles, FASTON, Uninsulated and Insulated

Tabs, FASTON, Uninsulated and Insulated

Ring and Spade Tongue Terminals

Fig. 34

AMP Electronic Catalog -- View Part Number

Return to Main Menu

In the current version you must enter an existing AMP Part Number! Future versions will be enhanced to automatically locate dash numbers from a "base only" part number.

View Detailed Information About a P/N

Enter AMP Part Number

Press this button when complete

Fig. 35

COPY

PATENT
Attorney Docket No. 16321-704

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR UTILITY PATENT APPLICATION**

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**METHOD AND SYSTEM FOR EXECUTING A
GUIDED PARAMETRIC SEARCH**

the specification of which

_____ is attached hereto.

X was filed on 3 October 1997 as Application No. 08/943,573
and was amended on * _____
(If Applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a) which states in relevant part: "Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section....The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98."

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate as indicated below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application on which priority is claimed:

COPY

Attorney Docket No. 16321-704

Page 2

Prior Foreign Application(s)

Priority Claimed

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s), and under §119(e) of any United States provisional application(s), listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulation, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>08/323,186</u> (Application Serial No.)	<u>14 October 1994</u> (Filing Date)	<u>Issued</u> (Patented, Pending, Abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Patented, Pending, Abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith, and to file, prosecute and to transact all business in connection with international applications directed to said invention:

Paul Davis	29,294
Mark A. Haynes	30,846
John J. Bruckner	35,816
Charles C. Cary	36,764
Michael J. Murphy	37,404
David J. Weitz	38,362
Kent R. Richardson	39,443
David J. Abraham	39,554
U.P. Peter Eng	39,666
George A. Willman	41,378
Henry J. Groth	39,696
Steven J. Benerofe	P41,613
Travis L. Dodd	P42,491
Jinntung Su	P42,174

COPY

Attorney Docket No. 16321-704

Page 3

Address all correspondence to:

Kent R. Richardson
Wilson Sonsini Goodrich & Rosati
650 Page Mill Road
Palo Alto, CA 94304

Direct all telephone calls to Kent R. Richardson at (650) 493-9300.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or
first inventor:

Mohamed Sherif Danish

Inventor's signature:



Date:

May 20, 1998

Citizenship:

USA Egyptian

Residence:

12835 La Cresta Drive, Los Altos Hills, California 94022


Post Office Address:

Same as above. 1143 CARLOS PRIVADA MOUNTAIN VIEW CA 940

Full name of second joint
inventor, if any:

Kris Walter Kimbrough

Inventor's signature:



Date:

5-20-98

Citizenship:

USA

Residence:

972-3 Belmont Terrace, Sunnyvale, California 94086

Post Office Address:

Same as above.